





combined sewer cleaner.

CAP-COMBI is the perfect example of a tailor-made product, designed to meet any customer's need.


It allows a much faster, more efficient, flexible and reliable cleaning. Extra modern technology supports and assists the operator.

CAP-COMBI model is available with different equipments:

- stainless steel or carbon steel tanks
- two external water tanks to give even weight distribution on the same axles
- a wide range of vacuum pumps: rotary vanes, liquid ring of rotary lobes pumps
- triplex plungers high-pressure water pumps with a wide range of deliveries and pressures
- mechanical transmission to control the high pressure pump and the vacuum pump either independently or at the same time by means of the truck's own PTO or CAPPELLOTTO's "CAP PTO"
- a patented upper suction hose reel equipped with a telescopic, adjustable in height and 300° swivelling boom, designed on the same axle.







The best solution to meet any customer's need.









The CAP-COMBI CL series advantages.

The CL series is realized with a specific separate sludge tank and with side water tanks so as to allow:

- a better weight distribution on the vehicle axles under any load status, with sludge and water
- a higher water capacity without overloading the front axle
- a reduction of up to 10% of the maximum vehicle height in relation with the two-compartment tank (inner wall either movable or fixed)











A wide and complete range of products to meet every need.




cabcoupi, 800 CF

- Max. total allowed weight (G.V.W.): Kg 7.500
- Sludge: m³ 3.050 Water capacity: 2.000 litres




capcombi 1200 CL

- Max. total allowed weight (G.V.W.): Kg 12.000
- Sludge: m³ 4.400 Water capacity: 2.450 litres




capcombi 1500 CL

- Max. total allowed weight (G.V.W.): Kg 15.000
- Sludge: m³ 5.500 Water capacity: 2.600 litres




capcombi 1800 CL

- Max. total allowed weight (G.V.W.): Kg 18.000
- Sludge: m³ 7.100 Water capacity: 3.300 litres



capcombi 2600 CL

- Max. total allowed weight (G.V.W.): Kg 26.000
- Sludge: m³ 10.000 Water capacity: 3.800 litres



capcombi 3200 CL

- Max. total allowed weight (G.V.W.): Kg 32.000
- Sludge: m³ 14.000 Water capacity: 5.100 litres



CAPPELLOTTO Spa · Via Vizza, 8 · 31018 Gaiarine (TV) · Italy Tel +39 0434 757575 · Fax +39 0434 758555 · www.cappellotto.com · info@cappellotto.com



