


CAPCOMBIFI. SIMPLY CLASSIC.

combined sewer cleaner
FI series - fixed internal wall



CAPPELLOTTO



FI series - with fixed internal wall.


CAP-COMBI is the perfect example of a tailor-made product, designed to meet any customer's need. It allows a much faster, more efficient, flexible and reliable cleaning. Extra modern technology supports and assists the operator. CAP-COMBI FI model is available with different equipments:

- stainless steel or carbon steel tanks;
- a fixed internal wall to keep the sludge compartment separate from the clean water compartment;
- a wide range of vacuum pumps: rotary-type, liquid ring or rotary-lobe type;
- triplex plungers high-pressure water pumps with a wide range of deliveries and pressures;
- mechanical transmission to control the high pressure pump and the vacuum pump either independently or at the same time by means of the truck's own PTO or CAPPELLOTTO's "CAP PTO".




For a clean environment.

A wide and complete range of products to meet every need.




capcombi 800 FI

- Max. total allowed weight (G.V.W.): Kg 7.500
- Sludge: m³ 1.500 • Water capacity: 1.500 litres




capcombi 1200 FI

- Max. total allowed weight (G.V.W.): Kg 12.000
- Sludge: m³ 4.000 • Water capacity: 2.000 litres




capcombi 1500 FI

- Max. total allowed weight (G.V.W.): Kg 15.000
- Sludge: m³ 5.200 • Water capacity: 1.900 litres




capcombi 1800 FI

- Max. total allowed weight (G.V.W.): Kg 18.000
- Sludge: m³ 6.000 • Water capacity: 4.000 litres



capcombi 2600 FI

- Max. total allowed weight (G.V.W.): Kg 26.000
- Sludge: m³ 11.000 • Water capacity: 3.000 litres



capcombi 3200 FI

- Max. total allowed weight (G.V.W.): Kg 32.000
- Sludge: m³ 13.800 • Water capacity: 3.000 litres



CAPPELLOTTO Spa · Via Vizza, 8 · 31018 Gaiarine (TV) · Italy
Tel +39 0434 757575 · Fax +39 0434 758555 · www.cappelotto.com · info@cappelotto.com



ISO 9001:2000

